Våra värmekablar | ClimaLine EcoFlex series

15w Effekt 15 w

+3° Tillslag vid 3C

CLIMACO

Cookiebot by Usercentrics

Consent | Details | About

This website uses cookies

We use cookies to personalise content and ads, to provide social media features and to analyse our traffic. We also share information about your use of our site with our social media, advertising and analytics partners who may combine it with other information that you've provided to them or that they've collected from your use of their services.

Necessary

Preferences

Statistics

Marketing

Allow selection

Allow all



CLIMACO

Cookiebot by Usercentrics

Consent | Details | About

This website uses cookies

We use cookies to personalise content and ads, to provide social media features and to analyse our traffic. We also share information about your use of our site with our social media, advertising and analytics partners who may combine it with other information that you've provided to them or that they've collected from your use of their services.

Necessary

Preferences

Statistics

Marketing

ANDTERMOSTAT

Lågeffektsvärmekabel 2m, 15w/m för rör och slang

Värmekabel med integrerad kapslad termostat mellan varm och kallkabel. Användningsområde: för installation i dräneringsslang eller plaströr avsedda kondensat avrinning. Med färdigmonterad stickpropp som ansluts enkelt till ett jordat vägguttag via

jordfelsbrytare. Får ej användas i trycksatta vattensystem. Mycket hög driftsäkerhet. Orginal värmekabel i ClimaLines uppvärmda dränerings satser. Finns i tre versioner med effekt 8, 15 [...]

30 W
maxeffekt

ECO
Tillslag +3°C

CLIMACO

Cookiebot by Usercentrics

Consent | Details | About

This website uses cookies

We use cookies to personalise content and ads, to provide social media features and to analyse our traffic. We also share information about your use of our site with our social media, advertising and analytics partners who may combine it with other information that you've provided to them or that they've collected from your use of their services.

Necessary

Preferences

Statistics

Marketing

Passar EcoFlex 2m värmekabel 15w/m med ändtermostat din värmepump?

Sök på fabrikat eller modell och kontrollera rekommenderat tråg.

CLIMACO

Cookiebot by Usercentrics

Consent | Details | About

This website uses cookies

We use cookies to personalise content and ads, to provide social media features and to analyse our traffic. We also share information about your use of our site with our social media, advertising and analytics partners who may combine it with other information that you've provided to them or that they've collected from your use of their services.

Necessary

Preferences

Statistics

Marketing

Överblick

För	Frostfritt i slang - rör
Termostatstyrd	Tillslag +3°C
Termostat	Vid värmekabelns ände
Effekt (w/m)	15
Färg	Vit, Svart

Material	Silicon gummi
Längd (m)	2
Utbud	1 - 6, 8m
Stickkontakt	Nej, flatstift

Ansl.kabel (m)	2.0
Spänning	220-240 v 50-60 Hz
Max effekt (w)	30

CLIMACO

Cookiebot by Usercentrics

Consent | Details | About

This website uses cookies

We use cookies to personalise content and ads, to provide social media features and to analyse our traffic. We also share information about your use of our site with our social media, advertising and analytics partners who may combine it with other information that you've provided to them or that they've collected from your use of their services.

Necessary

Preferences

Statistics

Marketing



VANLIGASTE LÖSNINGEN



ROBUST LÅNGSIKTIG LÖSNING

Till stuprör och befintligt dagvatten

Förlägg satsen längs fasaden och in under lövutkastet, ca 10 cm över mark. För ned värmekabeln i dagvattenröret till frostfritt djup.

- Säker och driftsäker avledning
- Använder befintligt system

Till stenkista - ny eller befintlig

Förlägg satsen längs fasaden till 50 mm dagvattenrör till kistans mitt. Ny kista frostfritt, cirka 1 meter under mark och 3-4 meter från huset.

- Mycket låg risk för huset
- Invändig värmekabel

CLIMACO

Cookiebot by Usercentrics

Consent | Details | About

This website uses cookies

We use cookies to personalise content and ads, to provide social media features and to analyse our traffic. We also share information about your use of our site with our social media, advertising and analytics partners who may combine it with other information that you've provided to them or that they've collected from your use of their services.

Necessary

Preferences

Statistics

Marketing

ändtermostat

För installatörer

Beställ via våra distributörer.

Installatör beställer här →

För konsumenter

CLIMACO

Cookiebot by Usercentrics

Consent | Details | About

This website uses cookies

We use cookies to personalise content and ads, to provide social media features and to analyse our traffic. We also share information about your use of our site with our social media, advertising and analytics partners who may combine it with other information that you've provided to them or that they've collected from your use of their services.

Necessary

Preferences

Statistics

Marketing