Våra dräneringskit | ClimaLine Dräneringskit ID25

-28° Drift till -28C

Energieffektivt

+2° Tillslag vid 2C

CLIMACO

Cookiebot by Usercentrics

Consent | Details | About

This website uses cookies

We use cookies to personalise content and ads, to provide social media features and to analyse our traffic. We also share information about your use of our site with our social media, advertising and analytics partners who may combine it with other information that you've provided to them or that they've collected from your use of their services.

Necessary


Preferences

Statistics

Marketing

Allow selection

Allow all





CLIMACO

Cookiebot by Usercentrics

Consent | Details | About

This website uses cookies

We use cookies to personalise content and ads, to provide social media features and to analyse our traffic. We also share information about your use of our site with our social media, advertising and analytics partners who may combine it with other information that you've provided to them or that they've collected from your use of their services.

Necessary

Preferences

Statistics

Marketing

Passar Dräneringssats IDØ25 – 7m uppvärmd din värmepump? →

Tekniska Data (TDS) | Produktblad

Art. nr: 3090-HEATKIT-7V

RSK: 6259174

GTIN: 7350157933175

CLIMACO

Cookiebot by Usercentrics

Consent | Details | About

This website uses cookies

We use cookies to personalise content and ads, to provide social media features and to analyse our traffic. We also share information about your use of our site with our social media, advertising and analytics partners who may combine it with other information that you've provided to them or that they've collected from your use of their services.

Necessary

Preferences

Statistics

Marketing

Sök fabrikat eller modell...

Populära fabrikat:

Daikin | Mitsubishi Electric | Panasonic | Fujitsu | Bosch | IVT



CLIMACO

Cookiebot by Usercentrics

Consent | Details | About

This website uses cookies

We use cookies to personalise content and ads, to provide social media features and to analyse our traffic. We also share information about your use of our site with our social media, advertising and analytics partners who may combine it with other information that you've provided to them or that they've collected from your use of their services.

Necessary

Preferences

Statistics

Marketing

Max effekt (w)	105
Slanganslutning	Ø25



CLIMACO

Cookiebot by Usercentrics

Consent | Details | About

This website uses cookies

We use cookies to personalise content and ads, to provide social media features and to analyse our traffic. We also share information about your use of our site with our social media, advertising and analytics partners who may combine it with other information that you've provided to them or that they've collected from your use of their services.

Necessary

Preferences

Statistics

Marketing

Enkel och flexibel montering

Kitet innehåller en isolerad kondensvattenslang med innerdiameter Ø25 mm, en kontrollerad värmekabel, slangklämma och väggfästen för en snabb och säker installation.

Vad ingår?





CLIMACO

Cookiebot by Usercentrics

Consent | Details | About

This website uses cookies

We use cookies to personalise content and ads, to provide social media features and to analyse our traffic. We also share information about your use of our site with our social media, advertising and analytics partners who may combine it with other information that you've provided to them or that they've collected from your use of their services.


Necessary

Preferences

Statistics

Marketing

Led bort vattnet – läs mer





CLIMACO

Cookiebot by Usercentrics

Consent | Details | About

This website uses cookies

We use cookies to personalise content and ads, to provide social media features and to analyse our traffic. We also share information about your use of our site with our social media, advertising and analytics partners who may combine it with other information that you've provided to them or that they've collected from your use of their services.

Necessary

Preferences

Statistics

Marketing

✓ Korrekt tätad genomföring

Läs om detta alternativ →

✓ Minst 4 m från hus och kontinuerligt fall

× Inte nära gångyta

Läs om detta alternativ →

Köp Dräneringssats IDØ25 – 7m uppvärmd

För installatörer

Beställ via våra distributörer.

Installatör beställer här →

CLIMACO

Cookiebot by Usercentrics

Consent | Details | About

This website uses cookies

We use cookies to personalise content and ads, to provide social media features and to analyse our traffic. We also share information about your use of our site with our social media, advertising and analytics partners who may combine it with other information that you've provided to them or that they've collected from your use of their services.

Necessary

Preferences

Statistics

Marketing