Våra dräneringskit | ClimaLine Dräneringskit ID19 - milt klimat

-20° Drift till -20C

Energieffektivt

+3° Tillslag vid 3C

CLIMACO

Cookiebot by Usercentrics

Consent | Details | About

This website uses cookies

We use cookies to personalise content and ads, to provide social media features and to analyse our traffic. We also share information about your use of our site with our social media, advertising and analytics partners who may combine it with other information that you've provided to them or that they've collected from your use of their services.

Necessary

Preferences

Statistics

Marketing

Allow selection

Allow all





CLIMACO

Cookiebot by Usercentrics

Consent | Details | About

This website uses cookies

We use cookies to personalise content and ads, to provide social media features and to analyse our traffic. We also share information about your use of our site with our social media, advertising and analytics partners who may combine it with other information that you've provided to them or that they've collected from your use of their services.

Necessary

Preferences

Statistics

Marketing

Passar Dräneringssats IDØ19 – 2m för milt klimat din värmepump? →

Tekniska Data (TDS)

Produktblad

Art. nr: 306-HK02

GTIN: 7350157934424

CLIMACO

Cookiebot by Usercentrics

Consent | Details | About

This website uses cookies

We use cookies to personalise content and ads, to provide social media features and to analyse our traffic. We also share information about your use of our site with our social media, advertising and analytics partners who may combine it with other information that you've provided to them or that they've collected from your use of their services.

Necessary

Preferences

Statistics

Marketing

Populära fabrikat:

Daikin | Mitsubishi Electric | Panasonic | Fujitsu | Bosch | IVT



CLIMACO

Cookiebot by Usercentrics

Consent | Details | About

This website uses cookies

We use cookies to personalise content and ads, to provide social media features and to analyse our traffic. We also share information about your use of our site with our social media, advertising and analytics partners who may combine it with other information that you've provided to them or that they've collected from your use of their services.

Necessary

Preferences

Statistics

Marketing

Max effekt (w)	16
Slanganslutning	Ø19



CLIMACO

Cookiebot by Usercentrics

Consent | Details | About

This website uses cookies

We use cookies to personalise content and ads, to provide social media features and to analyse our traffic. We also share information about your use of our site with our social media, advertising and analytics partners who may combine it with other information that you've provided to them or that they've collected from your use of their services.

Necessary

Preferences

Statistics

Marketing

Enkel och flexibel montering

Kitet innehåller en isolerad kondensvattenslang med innerdiameter Ø19 mm, en kontrollerad värmekabel, slangklämma och väggfästen för en snabb och säker installation.

Vad ingår?





CLIMACO

Cookiebot by Usercentrics

Consent | Details | About

This website uses cookies

We use cookies to personalise content and ads, to provide social media features and to analyse our traffic. We also share information about your use of our site with our social media, advertising and analytics partners who may combine it with other information that you've provided to them or that they've collected from your use of their services.


Necessary

Preferences

Statistics

Marketing

Led bort vattnet – läs mer





CLIMACO

Cookiebot by Usercentrics

Consent | Details | About

This website uses cookies

We use cookies to personalise content and ads, to provide social media features and to analyse our traffic. We also share information about your use of our site with our social media, advertising and analytics partners who may combine it with other information that you've provided to them or that they've collected from your use of their services.

Necessary

Preferences

Statistics

Marketing

✓ Korrekt tätad genomföring

Läs om detta alternativ →

✓ Minst 4 m från hus och kontinuerligt fall

× Inte nära gångyta

Läs om detta alternativ →

Köp Dräneringssats IDØ19 – 2m för milt klimat

För installatörer

Beställ via våra distributörer.

Installatör beställer här →

CLIMACO

Cookiebot by Usercentrics

Consent | Details | About

This website uses cookies

We use cookies to personalise content and ads, to provide social media features and to analyse our traffic. We also share information about your use of our site with our social media, advertising and analytics partners who may combine it with other information that you've provided to them or that they've collected from your use of their services.

Necessary

Preferences

Statistics

Marketing