Våra dräneringskit | ClimaLine Dräneringskit ID19 - milt klimat

-20° Drift till -20C

Energieffektivt

+3° Tillslag vid 3C

CLIMACO

Cookiebot by Usercentrics

Consent | Details | About

**This website uses cookies**

We use cookies to personalise content and ads, to provide social media features and to analyse our traffic. We also share information about your use of our site with our social media, advertising and analytics partners who may combine it with other information that you've provided to them or that they've collected from your use of their services.

**Necessary**

**Preferences**

**Statistics**

**Marketing**

Allow selection

Allow all







CLIMACO

Cookiebot by Usercentrics

Consent | Details | About

**This website uses cookies**

We use cookies to personalise content and ads, to provide social media features and to analyse our traffic. We also share information about your use of our site with our social media, advertising and analytics partners who may combine it with other information that you've provided to them or that they've collected from your use of their services.

**Necessary**

**Preferences**

**Statistics**

**Marketing**

Passar Dräneringssats IDØ19 – 15m för milt klimat din värmepump? →

Tekniska Data (TDS)

Produktblad

Art. nr: 306-HK15

GTIN: 7350157934523

CLIMACO

Cookiebot by Usercentrics

Consent | Details | About

**This website uses cookies**

We use cookies to personalise content and ads, to provide social media features and to analyse our traffic. We also share information about your use of our site with our social media, advertising and analytics partners who may combine it with other information that you've provided to them or that they've collected from your use of their services.

**Necessary**

**Preferences**

**Statistics**

**Marketing**

## Populära fabrikat:

Daikin | Mitsubishi Electric | Panasonic | Fujitsu | Bosch | IVT




CLIMACO

Cookiebot by Usercentrics

Consent | Details | About

**This website uses cookies**

We use cookies to personalise content and ads, to provide social media features and to analyse our traffic. We also share information about your use of our site with our social media, advertising and analytics partners who may combine it with other information that you've provided to them or that they've collected from your use of their services.

**Necessary**

**Preferences**

**Statistics**

**Marketing**

| | |
|---|---|
| Max effekt (w) | 120 |
| Slanganslutning | Ø19 |




CLIMACO

Cookiebot by Usercentrics

Consent | Details | About

**This website uses cookies**

We use cookies to personalise content and ads, to provide social media features and to analyse our traffic. We also share information about your use of our site with our social media, advertising and analytics partners who may combine it with other information that you've provided to them or that they've collected from your use of their services.

**Necessary**

**Preferences**

**Statistics**

**Marketing**

# Enkel och flexibel montering

Kitet innehåller en isolerad kondensvattenslang med innerdiameter Ø19 mm, en kontrollerad värmekabel, slangklämma och väggfästen för en snabb och säker installation.

## Vad ingår?





CLIMACO

Cookiebot by Usercentrics

Consent | Details | About

**This website uses cookies**

We use cookies to personalise content and ads, to provide social media features and to analyse our traffic. We also share information about your use of our site with our social media, advertising and analytics partners who may combine it with other information that you've provided to them or that they've collected from your use of their services.


**Necessary**

**Preferences**

**Statistics**

**Marketing**

# Led bort vattnet – läs mer







CLIMACO

Cookiebot by Usercentrics

Consent | Details | About

**This website uses cookies**

We use cookies to personalise content and ads, to provide social media features and to analyse our traffic. We also share information about your use of our site with our social media, advertising and analytics partners who may combine it with other information that you've provided to them or that they've collected from your use of their services.

**Necessary**

**Preferences**

**Statistics**

**Marketing**

✓ Korrekt tätad genomföring

Läs om detta alternativ →

✓ Minst 4 m från hus och kontinuerligt fall

× Inte nära gångyta

Läs om detta alternativ →

# Köp Dräneringssats IDØ19 – 15m för milt klimat

**För installatörer**

Beställ via våra distributörer.

Installatör beställer här →

CLIMACO

Cookiebot by Usercentrics

Consent | Details | About

**This website uses cookies**

We use cookies to personalise content and ads, to provide social media features and to analyse our traffic. We also share information about your use of our site with our social media, advertising and analytics partners who may combine it with other information that you've provided to them or that they've collected from your use of their services.

**Necessary**

**Preferences**

**Statistics**

**Marketing**